



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2509SMIL1080.6100
Metrc Source ID: 25.169



SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 33962

Artet Extra Strength Aperitif (75mg)

Metrc Source ID:
25.169

Metrc Sample ID:
25.169

Confident ID: 2509SMIL1080.6100

Sample Collected: 09/19/2025

Sample Received: 09/19/2025

Report Published: 09/23/2025

Sample Type: Beverage



RESULTS SUMMARY

Cannabinoid Profile Tested	Microbial Contaminants Pass	Residual Solvents Pass	0.01% Total THC
Pesticides Pass	Mycotoxins Pass	Heavy Metals Pass	0.0% Total CBD
Foreign Matter Not Tested	Moisture Analysis Not Tested	Water Activity Not Tested	0.01% Total Cannabinoids
	Terpenes Not Tested		NT Total Terpenes

Report Notes:

Landen Nickel

Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2509SMIL1080.6100
Metric Source ID: 25.169



SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 33962

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 09/22/2025
Sample Analysis Date: 09/22/2025
Analyzed By: Agilent 1260 HPLC
SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	0.000	0.000	ND	ND	ND	ND
CBCA	0.000	0.000	ND	ND	ND	ND
CBDV	0.000	0.000	ND	ND	ND	ND
CBDVA	0.000	0.000	ND	ND	ND	ND
CBD	0.000	0.000	<LOQ	<LOQ	<LOQ	<LOQ
CBDA	0.000	0.000	ND	ND	ND	ND
CBG	0.000	0.000	0.000	0.003	2.212	2.212
CBGA	0.000	0.000	ND	ND	ND	ND
CBN	0.000	0.000	<LOQ	<LOQ	<LOQ	<LOQ
Δ 8-THC	0.000	0.000	ND	ND	ND	ND
Δ 8-THCV	0.000	0.000	NT	NT	NT	NT
Δ 9-THC	0.000	0.000	0.010	0.097	72.878	72.878
Δ 9-THCV	0.000	0.000	ND	ND	ND	ND
THCVA	0.000	0.000	ND	ND	ND	ND
THCA	0.000	0.000	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.010	0.097	72.878	72.878
Total CBD	0.000	0.000	0.000	0.000
Total Cannabinoids	0.010	0.100	75.090	75.090

Total THC = $\text{THCa} \times 0.877 + \Delta 9\text{-THC}$
Total CBD = $\text{CBDa} \times 0.877 + \text{CBD}$
Total Cannabinoids = Sum of all analytes

Serving Weight: 750g;

Report Notes:

Landen Nickel

Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2509SMIL1080.6100
Metric Source ID: 25.169



SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 33962

Pesticides

Pass

Sample Analysis

Sample Prep Date: 09/22/2025

Sample Analysis Date: 09/23/2025

Analyzed By: Agilent Ultivo LC-MS/MS

SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.62	9.24	ND	10	Flonicamid	11.5	23.1	ND	30
Aldicarb	9.24	18.5	ND	20	Imidacloprid	9.24	18.5	ND	20
Bifenthrin	9.24	18.5	ND	50	Kresoxim Methyl	4.62	9.24	ND	10
Carbaryl	9.24	18.5	ND	20	Metaxyl	9.24	18.5	ND	20
Carbofuran	9.24	18.5	ND	100	Oxamyl	23.1	46.2	ND	50
Chlorantraniliprole	9.24	18.5	ND	20	Phosmet	9.24	18.5	ND	40
Chlorpyrifos	4.62	9.24	ND	10	Pyridaben	4.62	9.24	ND	10
Clofentezine	4.62	9.24	ND	10	Spiromesifen	4.62	9.24	ND	10
Diazinon	9.24	18.5	ND	50	Spirotetramat	4.62	9.24	ND	10
Ethrophos	9.24	18.5	ND	20	Tebuconazole	18.5	36.9	ND	50
Etofenprox	4.62	9.24	ND	10	Thiamethoxam	9.24	18.5	ND	20
Etoxazole	4.62	9.24	ND	10	Trifloxystrobin	4.62	9.24	ND	10
Fenpyroximate	4.62	9.24	ND	15					

Mycotoxins

Pass

Sample Analysis

Sample Prep Date: 09/22/2025

Sample Analysis Date: 09/23/2025

Analyzed By: Agilent Ultivo LC-MS/MS

SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	6.10	18.5	ND	20
Aflatoxin B2	6.10	18.5	ND	20
Aflatoxin G1	6.10	18.5	ND	20
Aflatoxin G2	6.10	18.5	ND	20
Ochratoxin A	6.10	18.5	ND	20

Report Notes:

Landen Nickel


Lab Manager

Smithers CTS Illinois LLC

8205 Cass Ave. Ste. 106

Darien, IL 60561

(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2509SMIL1080.6100
Metric Source ID: 25.169



SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 33962

Heavy Metals

Pass

Sample Analysis

Sample Prep Date: 09/22/2025
Sample Analysis Date: 09/23/2025
Analyzed By: Agilent 7800 ICP-MS
SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	28.5	85.9	ND	500
Mercury	2.85	8.59	ND	3000
Lead	28.5	85.9	ND	1000
Chromium	28.5	85.9	ND	2000
Arsenic	28.5	85.9	ND	1500

Microbial Impurities

Pass

Sample Analysis

Sample Prep Date: 09/19/2025
Sample Analysis Date: 09/21/2025
Analyzed By: 3M Petrifilm
SOP: SOP_MICRO_001


Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
<i>E.coli</i> (pathogenic strains)	Not Detected	Detected
<i>Salmonella</i> spp.	Not Detected	Detected

Report Notes:

Landen Nickel

Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2509SMIL1080.6100
Metric Source ID: 25.169



SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 33962

Residual Solvents

Pass

Sample Analysis

Sample Prep Date: 09/22/2025
Sample Analysis Date: 09/23/2025
Analyzed By: GCMS
SOP: SOP-RS-001


Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	6.74	13.5	ND	5000
Butane	6.74	13.5	ND	5000
Ethanol	6.74	13.5	1050	5000
Ethyl Acetate	6.74	13.5	ND	5000
Ethyl Ether	6.74	13.5	ND	5000
Ethylene Oxide	1.12	2.25	ND	50
Heptane	6.74	13.5	ND	5000
Hexane	6.74	13.5	ND	290
Isopropyl Alcohol	6.74	13.5	37.1	5000
Methanol	6.74	13.5	ND	3000
Methylene Chloride	6.74	13.5	ND	600
Pentane	6.74	13.5	ND	5000
Petroleum Ether	6.74	13.5	ND	400
Propane	6.74	13.5	ND	5000
Trichloroethylene	6.74	13.5	ND	80
Toluene	6.74	13.5	ND	5000
Xylenes	13.5	27.0	ND	2170

Report Notes:

Landen Nickel

Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.