

Nowave LLC

Rochester, NY 14624

Lic. #OCM-AUCP-22-000010

Sample: 2406RLI0129-0461

Strain: N/A

Batch#: OH-HMP-ME-001; Batch Size: g

Sample Received: 06/25/2024; Report Created: 07/01/2024;

Off Hours: Mellow HEMP Gummies

Ingestible, Soft Chew  
Contact Person: Seth Brophy  
Phone #: 844-466-9282

## Sampling

Sample Collection Date/Time: 06/25/24 11:30  
Sample Collection Site: Nowave  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations: Hemp Compliance



## Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins
Pass Solvents	Pass Metals	Not Tested Foreign Matter

## Cannabinoids

12.01 mg/unit Total THC	2.19 mg/unit Total CBD	NT Moisture
----------------------------	---------------------------	----------------

Analyte	LOQ	Result	Result
	mg/g	mg/unit	mg/g
CBDVa	0.20	ND	ND
CBDV	0.20	ND	ND
CBDa	0.20	ND	ND
CBGa	0.20	ND	ND
CBG	0.20	ND	ND
CBD	0.20	2.19	0.37
THCV	0.20	ND	ND
THCVa	0.20	ND	ND
CBN	0.20	2.52	0.42
Δ9-THC	0.20	12.01	2.00
Δ8-THC	0.20	ND	ND
(6aR,9R)-d10-THC	0.20	ND	ND
(6aR,9S)-d10-THC	0.20	ND	ND
CBC	0.20	ND	ND
THCa	0.20	ND	ND
CBCa	0.20	ND	ND
<b>Total Cannabinoids</b>		<b>16.71</b>	<b>2.79</b>

Entered By: VJ, Instrument ID: AL2-004  
Method: MTHD-001, Date Tested: 06/27/2024 11:37  
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Nowave LLC

Rochester, NY 14624

Lic. #OCM-AUCP-22-000010

Off Hours: Mellow HEMP Gummies

Ingestible, Soft Chew  
Contact Person: Seth Brophy  
Phone #: 844-466-9282

Sample: 2406RLI0129-0461

Strain: N/A

Batch#: OH-HMP-ME-001; Batch Size: g

Sample Received: 06/25/2024; Report Created: 07/01/2024;

## Sampling

Sample Collection Date/Time: 06/25/24 11:30  
Sample Collection Site: Nowave  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations: Hemp Compliance

## Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
1,2-Dichloro-Ethane	3.9	5.0	ND	Pass
2,2-Dimethyl-Butane	31.3		ND	Tested
2,3-Dimethyl-Butane	31.3		ND	Tested
2-Methyl-Pentane	31.3		ND	Tested
3-Methyl-Pentane	31.3		ND	Tested
Acetone	156.3	5000.0	ND	Pass
Acetonitrile	156.3	410.0	ND	Pass
Benzene	1.6	2.0	ND	Pass
Chloroform	1.6	60.0	ND	Pass
Dichloromethane	156.3	600.0	ND	Pass
Dimethyl Sulfoxide	156.3	5000.0	ND	Pass
Ethanol	156.3	5000.0	ND	Pass
Ethyl-Acetate	156.3	5000.0	ND	Pass
Ethyl-Ether	156.3	5000.0	ND	Pass
Heptane	156.3	5000.0	ND	Pass
Isobutane	78.1		ND	Tested
2-Methyl-Butane	52.1		ND	Tested
Isopropanol	156.3	5000.0	ND	Pass
m+p Xylene	78.1	2170.0	ND	Pass
Methanol	156.3	3000.0	ND	Pass
n-Butane	78.1		ND	Tested
Neopentane	52.1		ND	Tested
n-Hexane	31.3		ND	Tested
n-Pentane	52.1		ND	Tested
o-Xylene	39.1		ND	Tested
Propane	156.3	5000.0	ND	Pass
Toluene	156.3	890.0	ND	Pass
Trichloroethane	78.1	1500.0	ND	Pass
Butanes		5000.0	ND	Pass
Hexanes		290.0	ND	Pass
Pentanes		5000.0	ND	Pass
Xylenes		2170.0	ND	Pass

Entered By: CB, Instrument ID: AL1-001  
Method: MTHD-007, Date Tested: 12:43  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported  
Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

## Microbials

Pass

Analyte	LOQ	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Aspergillus flavus	0	Absent	Absence	Pass
Aspergillus fumigatus	0	Absent	Absence	Pass
Aspergillus niger	0	Absent	Absence	Pass
Aspergillus terreus	0	Absent	Absence	Pass
Salmonella	0	Absent	Absence	Pass
Shiga Toxin E. Coli	0	Absent	Absence	Pass
Aerobic Bacteria	10	10000	ND	Pass
Yeast & Mold	10	1000	ND	Pass

Entered By: MR, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
Aerobic Date Tested: 06/28/2024 12:52  
YM Date Tested: 06/29/2024 08:15 Sal/STEC/Asp Date Tested: 06/30/2024 10:35  
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Chromium	1.0000	110.0000	<LOQ	Pass
Nickel	0.5000	20.0000	<LOQ	Pass
Copper	1.0000	300.0000	<LOQ	Pass
Arsenic	0.1000	1.5000	ND	Pass
Cadmium	0.1000	0.5000	ND	Pass
Antimony	0.5000	120.0000	ND	Pass
Mercury	0.0500	3.0000	ND	Pass
Lead	0.2500	0.5000	<LOQ	Pass

Entered By: MR, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 06/26/2024 10:03  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Aflatoxin B1	0.01	0.02	ND	Pass
Aflatoxin B2	0.01	0.02	ND	Pass
Aflatoxin G1	0.01	0.02	ND	Pass
Aflatoxin G2	0.01	0.02	ND	Pass
Ochratoxin A	0.01	0.02	ND	Pass
Total Aflatoxins		0.02	ND	Pass

Entered By: AS, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 06/30/2024 11:36



Anshu Shrestha

Anshu Shrestha  
Laboratory Director

Violet Josik

Violet Josik  
Quality Assurance Lead





# Certificate of Analysis

Powered by Confident LIMS  
3 of 7

Nowave LLC

Sample: 2406RLI0129-0461

Rochester, NY 14624

Strain: N/A

Batch#: OH-HMP-ME-001; Batch Size: g

Sample Received: 06/25/2024; Report Created: 07/01/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 06/25/24 11:30  
Sample Collection Site: Nowave  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations: Hemp Compliance

Off Hours: Mellow HEMP Gummies


Ingestible, Soft Chew  
Contact Person: Seth Brophy  
Phone #: 844-466-9282

## Terpenes

## Complete

## Primary Aromas

Analyte	LOQ	Result	Result
	%	%	mg/g
α-Bisabolol	0.0065	NT	NT
α-Humulene	0.0065	NT	NT
α-Phellandrene	0.0052	NT	NT
α-Pinene	0.0065	NT	NT
α-Terpinene	0.0065	NT	NT
β-Caryophyllene	0.0065	NT	NT
β-Myrcene	0.0065	NT	NT
β-Pinene	0.0065	NT	NT
Camphene	0.0065	NT	NT
Caryophyllene Oxide	0.0065	NT	NT
Farnesene	0.0021	NT	NT
Fenchol	0.0104	NT	NT
Geraniol	0.0065	NT	NT
Guaiol	0.0065	NT	NT
Limonene	0.0065	NT	NT
Linalool	0.0065	NT	NT
Ocimene	0.0065	NT	NT
Terpineol	0.0052	NT	NT
Terpinolene	0.0065	NT	NT
Valencene	0.0021	NT	NT



**0.0000%**  
Total Terpenes

Entered By: , Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 06/26/2024

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866

[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Powered by Confident LIMS  
4 of 7

Nowave LLC

Sample: 2406RLI0129-0461

Rochester, NY 14624

Strain: N/A

Batch#: OH-HMP-ME-001; Batch Size: g

Sample Received: 06/25/2024; Report Created: 07/01/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 06/25/24 11:30  
Sample Collection Site: Nowave  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations: Hemp Compliance

Off Hours: Mellow HEMP Gummies

Ingestible, Soft Chew  
Contact Person: Seth Brophy  
Phone #: 844-466-9282

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.10	0.50	ND	Pass
Acephate	0.10	0.40	ND	Pass
Acequinocyl	0.10	2.00	ND	Pass
Acetamiprid	0.10	0.20	ND	Pass
Aldicarb	0.10	0.40	ND	Pass
Avermectin-B1a			ND	Tested
Avermectin-B1b			ND	Tested
Azadirachtin	0.50	1.00	ND	Pass
Azoxystrobin	0.10	0.20	ND	Pass
Bifenazate	0.10	0.20	ND	Pass
Bifenthrin	0.10	0.20	ND	Pass
Boscalid	0.10	0.40	ND	Pass
Captan	0.50	1.00	ND	Pass
Carbaryl	0.10	0.20	ND	Pass
Carbofuran	0.10	0.20	ND	Pass
Chlorantraniliprole	0.10	0.20	ND	Pass
Chlordane	0.50	1.00	ND	Pass
Chlorfenapyr	0.50	1.00	ND	Pass
Chloromequat chloride	0.10	1.00	ND	Pass
Chlorpyrifos	0.10	0.20	ND	Pass
Cinerin 1			ND	Tested
Clofentezine	0.10	0.20	ND	Pass
Coumaphos	0.10	1.00	ND	Pass
Cyfluthrin	0.10	1.00	ND	Pass
Cypermethrin	0.10	1.00	ND	Pass

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 06/30/2024 11:48

LC Method: MTHD-009 LC Date Tested: 06/30/2024 11:36

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866



[www.confidentlims.com](http://www.confidentlims.com)

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Powered by Confident LIMS  
5 of 7

Nowave LLC

Sample: 2406RLI0129-0461

Rochester, NY 14624

Strain: N/A

Batch#: OH-HMP-ME-001; Batch Size: g

Sample Received: 06/25/2024; Report Created: 07/01/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 06/25/24 11:30

Sample Collection Site: Nowave

Sampling Firm: DRS Testing

Sampling Method: MTHD-014

Sampling Notes/Deviations: Hemp Compliance

Off Hours: Mellow HEMP Gummies

Ingestible, Soft Chew  
Contact Person: Seth Brophy  
Phone #: 844-466-9282

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Daminozide	0.10	1.00	ND	Pass
Diazinon	0.10	0.20	ND	Pass
Dichlorvos	0.10	1.00	ND	Pass
Dimethoate	0.10	0.20	ND	Pass
Dimethomorph	0.10	1.00	ND	Pass
Ethoprophos	0.10	0.20	ND	Pass
Etofenprox	0.10	0.40	ND	Pass
Etoazole	0.10	0.20	ND	Pass
Fenhexamid	0.10	1.00	ND	Pass
Fenoxycarb	0.10	0.20	ND	Pass
Fenpyroximate	0.10	0.40	ND	Pass
Fipronil	0.10	0.40	ND	Pass
Fonicamid	0.10	1.00	ND	Pass
Fludioxonil	0.10	0.40	ND	Pass
Hexythiazox	0.10	1.00	ND	Pass
Imazalil	0.10	0.20	ND	Pass
Imidacloprid	0.10	0.40	ND	Pass
Indolebutyric Acid	0.50	1.00	ND	Pass
Jasmolin 1			ND	Tested
Kresoxim Methyl	0.10	0.40	ND	Pass
Malathion	0.10	0.20	ND	Pass
Metalaxyl	0.10	0.20	ND	Pass
Methiocarb	0.10	0.20	ND	Pass
Methomyl	0.10	0.40	ND	Pass
Methyl Parathion	0.10	0.20	ND	Pass

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 06/30/2024 11:48

LC Method: MTHD-009 LC Date Tested: 06/30/2024 11:36

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866



[www.confidentlims.com](http://www.confidentlims.com)

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Nowave LLC

Sample: 2406RLI0129-0461

Rochester, NY 14624

Strain: N/A  
Batch#: OH-HMP-ME-001; Batch Size: g  
Sample Received: 06/25/2024; Report Created: 07/01/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 06/25/24 11:30  
Sample Collection Site: Nowave  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations: Hemp Compliance

Off Hours: Mellow HEMP Gummies

Ingestible, Soft Chew  
Contact Person: Seth Brophy  
Phone #: 844-466-9282

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Mevinphos	0.10	1.00	ND	Pass
MGK-264	0.10	0.20	ND	Pass
Myclobutanil	0.10	0.20	ND	Pass
Naled	0.10	0.50	ND	Pass
Oxamyl	0.10	1.00	ND	Pass
Paclobutrazol	0.10	0.40	ND	Pass
Pentachloronitrobenzene	0.50	1.00	ND	Pass
Permethrins	0.10	0.20	ND	Pass
Phosmet	0.10	0.20	ND	Pass
Piperonyl Butoxide	0.10	2.00	ND	Pass
Prallethrin	0.10	0.20	ND	Pass
Propiconazole	0.10	0.40	ND	Pass
Propoxur	0.10	0.20	ND	Pass
Pyrethrin 1			ND	Tested
Pyrethrin 2			ND	Tested
Pyrethrins	0.03	1.00	ND	Pass
Pyridaben	0.10	0.20	ND	Pass
Spinetoram	0.10	1.00	ND	Pass
Spinetoram J			ND	Tested
Spinetoram L			ND	Tested
Spinosad	0.10	0.20	ND	Pass
Spinosyn A			ND	Tested
Spinosyn D			ND	Tested
Spiromesifen	0.10	0.20	ND	Pass
Spirotetramat	0.10	0.20	ND	Pass

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 06/30/2024 11:48  
LC Method: MTHD-009 LC Date Tested: 06/30/2024 11:36  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Powered by Confident LIMS  
7 of 7

Nowave LLC

Sample: 2406RLI0129-0461

Rochester, NY 14624

Strain: N/A  
Batch#: OH-HMP-ME-001; Batch Size: g  
Sample Received: 06/25/2024; Report Created: 07/01/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 06/25/24 11:30  
Sample Collection Site: Nowave  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations: Hemp Compliance

Off Hours: Mellow HEMP Gummies

Ingestible, Soft Chew  
Contact Person: Seth Brophy  
Phone #: 844-466-9282

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Spiroxamine	0.10	0.20	ND	Pass
Tebuconazole	0.10	0.40	ND	Pass
Thiacloprid	0.10	0.20	ND	Pass
Thiamethoxam	0.10	0.20	ND	Pass
Trifloxystrobin	0.10	0.20	ND	Pass

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 06/30/2024 11:48  
LC Method: MTHD-009 LC Date Tested: 06/30/2024 11:36  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866

[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.